



F

SCREW NUT-4 M16 89x800

BASIC INFO

Article No.	56121
Weight	6,2 kg ^{+3%} ^{-8%} tolerance
Materials	Tube 89 x 3,6 x 750 mm Steel S235
Surface	Hot-dip galvanized Steel, according to DIN EN ISO 1461
Installation	GEARBOX SET 1:150 + drilling head HEX NUT-4
	INSTALLATION MAST – HULK + drilling head PLATE NUT-4 PILE DRIVER MACHINE – DINO + drilling head PLATE NUT-4
Intended Use	Pipe fixing, pole fixing
Anchoring	4x screw M12





F

SCREW NUT-4 M16 89x1050

BASIC INFO

Article No.	56122
Weight	8,2 kg ^{+3%} ^{-8%} tolerance
Materials	Tube 89 x 3,6 x 1000 mm Steel S235
Surface	Hot-dip galvanized Steel, according to DIN EN ISO 1461
Installation	GEARBOX SET 1:150 + drilling head HEX NUT-4
	INSTALLATION MAST – HULK + drilling head PLATE NUT-4 PILE DRIVER MACHINE – DINO + drilling head PLATE NUT-4
Intended Use	Pipe fixing, pole fixing
Anchoring	4x screw M16



F

SCREW NUT-4 M16 89x1250

BASIC INFO

Article No.	56123
Weight	9,9 kg ^{+3%; -8% tolerance}
Materials	Tube 89 x 3,6 x 1200 mm Steel S235
Surface	Hot-dip galvanized Steel, according to DIN EN ISO 1461
Installation	GEARBOX SET 1:150 + drilling head HEX NUT-4
	INSTALLATION MAST – HULK + drilling head PLATE NUT-4 PILE DRIVER MACHINE – DINO + drilling head PLATE NUT-4
Intended Use	Pipe fixing, pole fixing
Anchoring	4x screw M16

